
RNAV - INSTRUMENT
STANDARD DEPARTURE
CHART (SID) - ICAO

TRANS ALT 5000 ft
TRANS LEVEL by ATC

APP/RADAR	121.405
ATIS	130.955
GND	121.805
TWR	118.705

SHANNON RWY 05
CAT A, B, C, D
AGINI 4A, ABAGU 4A, DIGAN 4A, ERABI 4A, KURUM 4A, LUNIG 4A, MOMIN 4A, TOMTO 4A, UNBEG 4A.



CHANGE: RWY Designator, New SID Designation & Routing, MSA, Altitude Restrictions, Notes, MAG VAR, Bearings, PBN Box, Frequency Box.

NOTES:
1. Close-in obstacles (trees) exist to the left of departure track
2. MAX IAS 250 kts below FL100
3. **No turns before DER**
4. Climb Gradient 6.6% (400ft/NM) for Airspace (3.3% for obstacle clearance)

CYAL50535683© Tailte Éireann – Surveying

ABAGU 4A SID RWY05
ABAG4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN406	523915.6 / 0081439.8	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	ABAGU	523011.7 / 0073848.1	TF	Fly-By	112.3 / 114	23.7	-	-	-

AGINI 4A SID RWY05
AGIN4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN403	530431.3 / 0083714.9	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	AGINI	530919.9 / 0083446.1	TF	Fly-By	017.2 / 019	5.0	-	-	-

DIGAN 4A SID RWY05
DIGA4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN404	525404.4 / 0081918.4	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	DIGAN	525612.8 / 0081151.3	TF	Fly-By	064.5 / 067	5.0	-	-	-

ERABI 4A SID RWY05
ERAB4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN401	525909.0 / 0092538.8	DF	Fly-By	-	-	- / +FL090	-	Turn L
RNAV 1	ERABI	530053.5 / 0093403.3	TF	Fly-By	289.0 / 291	5.4	-	-	-

KURUM 4A SID RWY05
KURU4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN408	521904.2 / 0083942.8	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	KURUM	521343.1 / 0083952.5	TF	Fly-By	181.1 / 183	5.4	-	-	-

LUNIG 4A SID RWY05
LUNI4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN407	522813.8 / 0082124.2	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	LUNIG	522350.1 / 0081633.5	TF	Fly-By	146.0 / 148	5.3	-	-	-

MOMIN 4A SID RWY05
MOMI4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN402	530339.1 / 0091623.2	DF	Fly-By	-	-	- / +FL090	-	Turn L
RNAV 1	MOMIN	530648.2 / 0092333.6	TF	Fly-By	306.2 / 308	5.4	-	-	-

TOMTO 4A SID RWY05
TOMT4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN405	525106.1 / 0081703.5	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	TOMTO	525224.8 / 0080905.2	TF	Fly-By	074.7 / 077	5.0	-	-	-

UNBEG 4A SID RWY05
UNBE4A

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	052.2 / 054	-	- / +A2000	-	-
RNAV 1	NN400	524840.2 / 0093512.2	DF	Fly-By	-	-	- / +FL090	-	Turn L
RNAV 1	UNBEG	524818.4 / 0094347.8	TF	Fly-By	266.1 / 268	5.2	-	-	-