
RNAV - INSTRUMENT
STANDARD DEPARTURE
CHART (SID) - ICAO

TRANS ALT 5000 ft
TRANS LEVEL by ATC

APP/RADAR	121.405
ATIS	130.955
GND	121.805
TWR	118.705

SHANNON RWY 23
CAT A, B, C, D
AGINI 4B, ABAGU 4B, BUNON 4B, ERABI 4B, KURUM 4B, LUNIG 4B, LUPOR 4B, MOMIN 4B, OSGAR 4B, PELIG 4B, UNBEG 4B.



NOTES:
1. MAX IAS 250 kts below FL100
2. **No turns before DER**
3. Climb Gradient 6.6% (400ft/NM) for Airspace (3.3% for obstacle clearance)

CHANGE: RWY Designator, New SID Designation & Routing, MSA, Altitude Restrictions, Notes, MAG VAR, Bearings, PBN Box, Frequency Box.

CYAL50535683© Tailte Éireann – Surveying

ABAGU 4B SID RWY23
ABAG4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN600	523128.4 / 0081822.0	DF	Fly-By	-	-	- / +FL090	-	Turn L
RNAV 1	ABAGU	523011.7 / 0073848.1	TF	Fly-By	092.8 / 095	24.2	-	-	-

AGINI 4B SID RWY23
AGIN4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN608	530521.0 / 0084020.6	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	AGINI	530919.9 / 0083446.1	TF	Fly-By	040.1 / 042	5.2	-	-	-

BUNON 4B SID RWY23
BUNO4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN603	522549.2 / 0092632.3	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	BUNON	522229.7 / 0093236.8	TF	Fly-By	228.2 / 230	5.0	-	-	-

ERABI 4B SID RWY23
ERAB4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN606	525627.0 / 0092914.5	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	ERABI	530053.5 / 0093403.3	TF	Fly-By	326.8 / 329	5.3	-	-	-

KURUM 4B SID RWY23
KURU4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN602	521759.2 / 0084455.5	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	KURUM	521343.1 / 0083952.5	TF	Fly-By	144.0 / 146	5.3	-	-	-

LUNIG 4B SID RWY23
LUNI4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN601	522531.0 / 0082451.9	DF	Fly-By	-	-	- / +FL090	-	Turn L
RNAV 1	LUNIG	522350.1 / 0081633.5	TF	Fly-By	108.3 / 110	5.4	-	-	-

LUPOR 4B SID RWY23
LUPO4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN604	523343.3 / 0093408.5	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	LUPOR	523231.6 / 0094207.3	TF	Fly-By	256.2 / 258	5.0	-	-	-

MOMIN 4B SID RWY23
MOMI4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN607	530138.3 / 0092113.1	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	MOMIN	530648.2 / 0092333.6	TF	Fly-By	344.7 / 347	5.4	-	-	-

OSGAR 4B SID RWY23
OSGA4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN608	530521.0 / 0084020.6	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	AGINI	530919.9 / 0083446.1	TF	Fly-By	040.1 / 042	5.2	-	-	-
RNAV 1	OSGAR	530257.9 / 0071612.8	TF	Fly-By	097.1 / 099	47.8	-	-	-

PELIG 4B SID RWY23
PELI4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN608	530521.0 / 0084020.6	DF	Fly-By	-	-	- / +FL090	-	Turn R
RNAV 1	AGINI	530919.9 / 0083446.1	TF	Fly-By	040.1 / 042	5.2	-	-	-
RNAV 1	PELIG	531158.5 / 0072000.0	TF	Fly-By	086.1 / 088	45.1	-	-	-

UNBEG 4B SID RWY23
UNBE4B

Nav. Spec.	WPT Name	Latitude (N) / Longitude (W)	Path Term	Fly-By Fly-Over	True Track / Mag Track	Distance (NM)	Upper Limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV 1	-	-	CA	-	232.3 / 234	-	- / +A2000	-	-
RNAV 1	NN605	524607.0 / 0093605.7	DF	Fly-By	-	-	- / +FL090	-	-
RNAV 1	UNBEG	524818.4 / 0094347.8	TF	Fly-By	295.2 / 297	5.2	-	-	-