

TWR	130.7
GND	130.7, 121.9
Emerg	121.5




Chart created by ASAP s.r.o.

CHANGE: Revised Aeronautical Database Table.

AKIGO1A CAT A/B/C/D STAR RWY26

AKIG1A

Navigation Performance	Path Terminator	WPT Name	Latitude (N)/ Longitude (W)	Fly-By or Fly-over	Distance (NM)	True Track/ Magnetic Track	Upper limit / Lower Limit	Speed Limit (kts)	Remarks
RNAV1	IF	AKIGO	535030.0/ 0075605.0	Fly-By	-	-	-	-	-
RNAV1	TF	KUDAG	540018.0/ 0075915.0	Fly-By	10.0	349.2/ 345	+4500	-	-
RNAV1	TF	LESRO	535922.7/ 0080734.0	Fly-By	5.0	259.4/ 264	+4500	-	L
RNAV1	TF	ENULA	535821.0/ 0081552.0	Fly-By	5.0	258.2/ 263	+3000	-	-
RNAV1	TF	KETAG	535744.1/ 0082209.4	Fly-By	3.8	260.6/ 265	+3000	-	-

EDONO1A CAT A/B/C/D STAR RWY26

EDON1A

Navigation Performance	Path Terminator	WPT Name	Latitude (N)/ Longitude (W)	Fly-By or Fly-over	Distance (NM)	True Track/ Magnetic Track	Upper limit/ Lower Limit	Speed Limit (kts)	Remarks
RNAV1	IF	EDONO	535927.4 / 0074221.6	Fly-By	-	-	-	-	-
RNAV1	TF	KUDAG	540018.0/ 0075915.0	Fly-By	10.0	275.0/ 280	+4500	-	-
RNAV1	TF	LESRO	535922.7/ 0080734.0	Fly-By	5.0	259.4/ 264	+4500	-	L
RNAV1	TF	ENULA	535821.0/ 0081552.0	Fly-By	5.0	258.2/ 263	+3000	-	-
RNAV1	TF	KETAG	535744.1/ 0082209.4	Fly-By	3.8	260.8/ 265	+3000	-	-

GAKBO1A CAT A/B/C/D STAR RWY26

GAKB1A

Navigation Performance	Path Terminator	WPT Name	Latitude (N)/ Longitude (W)	Fly-By or Fly-over	Distance (NM)	True Track/ Magnetic Track	Upper limit/ Lower Limit	Speed Limit (kts)	Remarks
RNAV1	IF	GAKBO	534838.6/ 0081243.8	Fly-By	-	-	-	-	-
RNAV1	TF	ENULA	535821.0/ 0081552.0	Fly-By	10.0	349.2/ 354	+3000	-	-
RNAV1	TF	KETAG	535744.1/ 0082209.4	Fly-By	3.8	260.6/ 265	+3000	-	L

INDAP1A CAT A/B/C/D STAR RWY26

INDA1A

Navigation Performance	Path Terminator	WPT Name	Latitude (N)/ Longitude (W)	Fly-By or Fly-over	Distance (NM)	True Track/ Magnetic Track	Upper limit/ Lower Limit	Speed Limit (kts)	Remarks
RNAV1	IF	INDAP	540838.2/ 0080158.5	Fly-By	-	-	-	-	-
RNAV1	TF	IBATU	540512.0/ 0080051.0	Fly-By	3.5	169.1/ 174	+4500	-	-
RNAV1	TF	KUDAG	540018.0/ 0075915.0	Fly-By	5.0	169.1/ 174	+4500	-	-
RNAV1	TF	LESRO	535922.7/ 0080734.0	Fly-By	5.0	259.4/ 264	+4500	-	R
RNAV1	TF	ENULA	535821.0/ 0081552.0	Fly-By	5.0	258.2/ 263	+3000	-	-
RNAV1	TF	KETAG	535744.1/ 0082209.4	Fly-By	3.8	260.6/ 265	+3000	-	-

Hold Identification – EIKN AD 2.24-6

Holding Fix	Latitude (N) / Longitude (W)	Inbound True Track (degrees)	Inbound Mag Track (degrees)	Maximum Indicated Airspeed (kts)	Maximum/Minimum Holding Altitude/ Level (FL/ft)	Distance outbound Limit (NM)	Direction of Turn
LESRO	535922.7 / 0080734.0	259.4	264	250	FL80/5000ft	5.0	R